EVOshake 700



The reliable high productivity shaker



The EVOshake 700 is the latest COROB high-end automatic shaker. It is the ideal solution for medium to high volume paint production as it combines top performance and reliability with space efficiency due to its very compact shape and vertical sliding door.

By detecting the paint can size and automatically selecting the optimal speed, pressure, and time, the COROB EVOshake 700 delivers excellent shaking results.

Operating this user-friendly machine is simple thanks to the intuitive control keyboard and status display.

Lower the door and select an automatic shaking program at the touch of a button! When the cycle is completed, the door will open automatically.

The particularly smooth running and reduced vibration emission ensure silent operation.

The soft-start reduces the effect of the colorants sticking to the lid, while the bi-directional mixing movement cuts down shaking time with most products.

The shaker is available in two different versions – with a standard automatic vertical sliding door or with a hinge door each of which allows for eff ortless loading and unloading.



BUILT FOR HIGH PRODUCTIVITY

The sliding door, auto start and ease of loading are optimised for busy paint stores



POWERFUL YET SILENT

A heavy duty and reliable working partner, with low noise emissions during operation



LOW MAINTENANCE

Protected leadscrews, ease of service and smart connectivity for reduced maintenance



COROB, a GRACO company, is a global leader with a long and successful history in developing, manufacturing and delivering high-tech dispensing and mixing solutions for the widest range of tinting applications. Our offering is supported by a global service network making COROB a total solution provider.



EVOshake 700









Technical data

Business environment	Paint stores, DIYs, professional paint stores, distribution centers / depots
Volume output	Medium / High
Туре	Automatic vibrational shaker
Max can weight [kg] (lbs)	35 (77)
Can size [mm] (in)	Height: min 50 (2), max 410 (16.1) Diameter: 365 (14.4)
Can type	Round, Square and Oval. Multiple cans. 4 x 1G with cartonbox
Shaking motor power [hp] (kW)	0.75 (0.55)
Certification	CE/UKCA – ETL certification during Q1/2025
Door type	Vertical sliding door or Hinge door
Dimensions (WxDxH) [mm] (in)	616 x 607 x 1132 (24.2 x 23.7 x 44.6)
Footprint [sqm] (sq ft)	0.37 (4)

Notes: The EVOshake 700 is the standard version not available for the US market.

The EVOshake 700 [US] is the version for the US market with the same technical specifications and with a dedicated clamping system.



A WORD ON VIBRATIONAL SHAKING

Vibrational shaking relies on the vertical force applied to the paint can and is traditionally one of the most common ways to mix colorants in base paints. The shaking affects the paint can with its high force in the upward and downward direction, with excellent final result in terms of mixing capacity.

Suitable for low to medium viscosity products, it is ideal for medium to smaller sized cans, especially effective for the small paint sample cans.

